

Cultivators for vineyards and orchards

Cultivators for cultivation and weed control in vineyards, orchards, hopgardens and nurseries all the year round, equipped by multipurpose frame for mounting additional equipment, duck-foot shaped share wide 28 cm. Suspension pins cat. 2, possible optional exchange for pins cat. 1 by ISO 730-1.

cultivators	working width	number of tines	suspension	order no.	
	136 cm	7 / fixed	cat. 2 (1)	UP130P	
	172cm	9 / fixed	cat. 2 (1)	UP165P	
	208 cm	11 / fixed	cat. 2	UP200P	
	244 cm	13 / fixed	cat. 2	UP240P	
	136 cm	7 / with shear bolt	cat. 2 (1)	UP130J	
	172 cm	9 / with shear bolt	cat. 2 (1)	UP165J	
	208 cm	11 / with shear bolt	cat. 2	UP200J	
	244 cm	13 / with shear bolt	cat. 2	UP240J	

light cultivators		order no.	
	pins set for suspension cat. 1 (exchange for pins cat. 2)	UPCEPKAT1	
	crushing roller for UP130x, (d300 mm, w120/126 cm)	CS111.300002	
§§	crushing roller for UP165x, (d300 mm, w154/160 cm)	CS111.400002	
	crushing roller for UP200x, (d300 mm, w190/197 cm)	CS111.500002	
	crushing roller for UP240x, (d300 mm, w226/233 cm)	CS111.600002	
	supporting wheel, metallic, d250, with bent tine (tine 50x16)	CS125.922000	
	holder of the tine with duck-foot shaped share / ploughshare 60x60, I=500 (for tine 70x20)	CS112.901000	




tine 60x20 with duck-foot shaped share 280, fixed tine	CS123.020R28	
tine 60x20 with duck-foot shaped share 280, tine with shear bolt	CS111.300063	
spacing pin 10x20 with chain	CS123.020910	
plough for ploughing towards, right (tine 70x20)	CS123.061000	
plough for ploughing towards, left (tine 70x20)	CS123.062000	

accessories		order no.	
	grape hoe, working tool 00E (other models 00E, see page 15) Attention! It is necessary separate free-flow outlet to connect the equipment.	00E610RRR	
	arm for mounting the grape hoe 60x60, l=500	CS112.902000	
	oil flow control valve 01	DEL01	



	grape hoe - doublesided, for cultivator UP - working tools 00E610RRR + 00E610LRR - arms for mounting the grape hoes on the cultivator, 2 pcs - hydraulic control system 06.11 Attention! It is necessary separate free-flow outlet to connect the equipment.		UP06E610
	hydraulic unit HAN 20.20 for cultivator UP - with oil cooler and return filter, oil reserve 20 I - oil flow 20 I/min / 540 rpm - pump PTO shaft 1 3/8" - 6		HAN2020UP
	knife foot		CS121.090140
6. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.	moldboard for cultivation knife, h=14 cm (including fasteners and mounting on the knife)	right-sided	CS121.ODHRN14VR
		left-sided	CS121.ODHRN14VL





Light cultivators for compact tractors

The light cultivators for cultivation and weed control in vineyards, orchards, hopgardens and nurseries all the year round, equipped by multipurpose frame for mounting additional equipment, special design for compact tractors, duck-foot shaped share wide 22 cm. Standard hitch of cat. 1N by ISO 730-2.

light cultivators		order no.	
	Cultivator for compact tractor UP-095N1 - working width 97 cm - 5 fixed tines with duck-foot shaped share, w22 cm	UP095N1	
	Cultivator for compact tractor UP-125N1 - working width 130 cm - 7 fixed tines with duck foot shaped share, w22 cm	UP125N1	

supplements		order no.	
	crushing roller for UP-095N1, (d220 mm, w88/95 cm)	CS111.010004	
•	crushing roller for UP-125N1, (d220 mm, w118/126 cm)	CS111.200004	
	supporting wheel, metallic, d220, with bent tine (tine 50x16)	CS111.200003	
	holder of the tine with duck-foot shaped share / ploughshare 67x48, I=500 (for tine 70x20)	CS111.901000	
	tine 50x16 with duck-foot shaped share 220	CS123.0203MS	



spacing pin 20x20 with chain	CS123.020920
plough for ploughing towards, right (tine 70x20)	CS123.061000
plough for ploughing towards, left (tine 70x20)	CS123.062000

accessories		order no.
	grape hoe, working tool 00E (other models 00E, see page 15) Attention! It is necessary separate free-flow outlet to connect the equipment.	00E510RRR
	arm for mounting the grape hoe 67x48, I=500	CS111.902000
	oil flow control valve 01	DEL01
	knife foot	CS121.090140
\$ 6 ay	moldboard for cultivation knife, h=14 cm (including fasteners and mounting on the knife)	CS121.ODHRN14VR