



Pruning bars SLA

Pruning bars with circular saws for mechanization of pruning trees and hedges, for pruning and maintenance of forest and field roads. Pruning with saw blades driven by the rotating hydraulic motor. Without hydraulic hoses. Can be aggregated with SLx suspension.

Attention! It is necessary separate free-flow outlet or SLOOBTVENT to connect the equipment.

Model	SLA						
	24xx	34xx	44xx	54xx	36xx	46xx	56xx
Working width [cm]	90	135	180	225	180	240	300
Lenght [cm]	45						
Width [cm]	45				60		
Height [cm]	90	135	180	225	180	240	300
Circular saws [mm]	ø 450/80 teeth / ø 450/56 teeth				ø 600/56 teeth		
Material of pruning saws	high-quality steel						
Version	right-sided / left-sided						
Oil consumption [l/min]	min 55				min 50		
Tractor power [kW]	min 20	min 30	min 40	min 50	min 35	min 45	min 55
Working speed [km/h]	2 - 4						
Weight [kg]	75	116	148	181	134	173	212

* Listed technical data are informative, manufacturer reserves the right to change design and equipment of the machines without prior notice. The machine can be also modified according to the customer's request.

** Another version and combination on a request.

*** The working speed may vary depending on the specific working conditions.



Pruning bars SLP

Pruning bars for mechanization of pruning fruit or ornamental trees and hedges, pruning with saw blades driven by the rotating hydraulic motor. Without hydraulic hoses. Can be aggregated with SLx suspension.

Attention! It is necessary separate free-flow outlet or SLOOBTVENT to connect the equipment.

Model	SLP			
	24xx	34xx	44xx	54xx
Working width [cm]	90	135	180	225
Lenght [cm]	45			
Width [cm]	45			
Height [cm]	90	135	180	225
Circular saws [mm]	ø 450/80 teeth			
Material of pruning saws	high-quality steel ocel			
Version	upper / lower		vertical	
	right-sided / left-sided			
Oil consumption [l/min]	min 55			
Tractor power [kW]	min 20	min 30	min 40	min 50
Working speed [km/h]	2 - 4			
Weight [kg]	79	112	148	185

* Listed technical data are informative, manufacturer reserves the right to change design and equipment of the machines without prior notice. The machine can be also modified according to the customer's request.

** Another version and combination on a request.

*** The working speed may vary depending on the specific working conditions.